



全国服务热线 / 0576-88018791

Global Service Hotline / +86-576-88018796

佳岛缝纫机

**JAKI**  
佳 岛  
— SINCE 1999 —

## 曲折缝系列 Zigzag seam series








中国缝制机械协会理事单位 / 本企业已通过ISO9001管理体系认证  
浙江科技型企业 台州著名商标 / ISO14001环境体系认证

**浙江佳岛缝纫机有限公司**  
ZHEJIANG JIADAO SEWING MACHINE CO.,LTD.

地址：浙江省台州市椒江区东海大道东段993号  
Add: No.993 East Donghai Road Jiaojiang Taizhou Zhejiang China  
电话(Tel)：+86-576-88018796 / 88018791  
传真(Fax)：+86-576-88027628 / 88018792  
Http：//www.chinajaki.com  
Email：jaki@china-jaki.com

佳岛在手中，缝纫好轻松！  
A stitch above the best!

图标符号一览表  
Symbols Table

|                                                                                     |                                      |                                                                                     |                                   |                                                                                     |                                             |                                                                                       |                                        |
|-------------------------------------------------------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
|    | 平台式<br>Flat Type                     |    | 筒 式<br>Raised Flat-bed            |    | 箱体式<br>Box Type                             |    | 功能应用<br>Application                    |
|    | 机 针<br>Needles                       |    | 机针数<br>No.of Needles              |    | 线 数<br>No.of Threads                        |    | 针间距<br>Needle Gauge                    |
|    | 针迹长度<br>Stitch Length                |    | 针杆行程<br>Needles Bar Stroke        |    | 自动剪线<br>Auto Trimmer                        |    | 差动比<br>Differential Ratio              |
|    | 薄 料<br>Light Materials               |    | 中厚料<br>Medium Materials           |    | 厚 料<br>Heavy Materials                      |    | 弯 针<br>Looper                          |
|  | 下送料<br>BottomFeed                    |  | 机送料<br>Needle Feed                |  | 综合送料<br>Comprehensive Feed                  |  | 上下送料<br>Top And Bottom Feed            |
|  | 针迹宽度<br>Stitch Width                 |  | 针迹长度<br>Stitch Length             |  | 拔线<br>Thread Wiper                          |  | 摆 幅<br>Stitch Width                    |
|  | 卧式标准旋梭<br>Horizontal Hook (standard) |  | 卧式双倍旋梭<br>Horizontal Hook (large) |  | 立式标准旋梭<br>Vertich Hook (standard)           |  | 立式双倍旋梭<br>Vertich Hook (large)         |
|  | 摆 梭<br>Shuttle Hood                  |  | 切刀尺寸<br>Cutter Size               |  | 锁眼尺寸 (平)<br>Button Holing Size (horizontal) |  | 锁眼尺寸 (圆)<br>Button Holing Size (round) |
|  | 钉扣样式<br>Button stitch                |  | 纽扣直径<br>Button Diameter           |  | 电 机 功 率<br>Power                            |  | 加固线<br>Bartacking                      |
|  | 抬压脚高度<br>Presser Food Lift           |  | 缝纫转速<br>Sewing Speed              |  | 重 量<br>Weight                               |  | 包装箱尺寸<br>Packing Size                  |

  
CONTENTS

INDUSTRIAL SEWING MACHINES

|                                                                                                                               |    |                                                                                                                        |    |
|-------------------------------------------------------------------------------------------------------------------------------|----|------------------------------------------------------------------------------------------------------------------------|----|
| 自动剪线曲折缝系列(大梭)<br><b>JR-1996</b><br>AUTO-OIL AUTO TRIMMER ZIGZAG SEWING MACHINE(LARGE HOOK)                                    | 01 | 自动加油花样曲折缝系列(大梭)<br><b>JR-1996-A4/JR5530-A4</b><br>AUTO-OIL COMPUTERIZED ZIGZAG SEWING MACHINE(190 DESIGNS, LARGE HOOK) | 02 |
| 自动加油花样曲折缝系列(大梭)<br><b>JR-1996-B4/JR5530-B4</b><br>AUTO-OIL COMPUTERIZED ZIGZAG SEWING MACHINE(240 DESIGNS, LARGE HOOK)        | 03 | 自动加油曲折缝系列(大梭)<br><b>JR-5530-DZ</b><br>DIRECT DRIVE AUTO-OIL ZIGZAG SEWING MACHINE(LARGE HOOK)                          | 04 |
| 自动加油曲折缝系列(大梭)<br><b>JR-1530/JR1530-DZ</b><br>DIRECT DRIVE AUTO-OIL ZIGZAG SEWING MACHINE(LARGE HOOK)                          | 05 | 上下送料双同步曲折缝纫机(大梭)<br><b>JR-2530/JR2530-DZ</b><br>TOP AND BOTTOM FEED ZIGZAG SEWING MACHINE(LARGE HOOK)                  | 06 |
| 筒式曲折缝纫机<br><b>JR-2312/JR2312-DZ</b><br>CYLINDRICAL BED ZIGZAG SEWING MACHINE                                                  | 07 | 曲臂曲折缝<br><b>JR-8530</b><br>BENDING ARM ZIGZAG SEWING MACHINE                                                           | 08 |
| 高速曲折缝系列<br><b>JR-2284/JR2284-DZ</b><br>HIGH-SPEED ZIGZAG SEWING MACHINE                                                       | 09 | 高速电脑曲折缝<br><b>JR-2290</b><br>HIGH-SPEED COMPUTER ZIGZAG SEWING MACHINE                                                 | 10 |
| 20U单步进花样系列<br><b>JR-20U-A1/A2/A3/A4</b><br>COMPUTERIZED ZIGZAG SEWING MACHINE (190 DESIGNS)                                   | 11 | 20U双步进花样系列<br><b>JR-20U-B1/B2/B3/B4</b><br>COMPUTERIZED ZIGZAG SEWING MACHINE (240 DESIGNS)                            | 12 |
| 20U自动加油单步进花样系列<br><b>JR-20U-C1/C2/C3/C4</b><br>AUTO-OIL COMPUTERIZED ZIGZAG SEWING MACHINE(190 DESIGNS)                       | 13 | 20U自动加油系列<br><b>JR-20U93/JR20U93-DZ</b><br>DIRECT DRIVE AUTO-OIL ZIGZAG SEWING MACHINE                                 | 14 |
| 曲折缝系列(一步两点)<br><b>JR-20U33/33-DZ/JR20U43/43-DZ</b><br>DIRECT DRIVE ZIGZAG SEWING MACHINE                                      | 15 | 曲折缝系列(一步两点)<br><b>JR-20U53/53-DZ/JR20U63/63-DZ</b><br>DIRECT DRIVE ZIGZAG SEWING MACHINE                               | 16 |
| 曲折缝系列(三步四点/二步三点/双针三步四点)<br><b>JR-20U457A/B/D</b><br>(Four points/Three points/Four point double needle) ZIGZAG SEWING MACHINE | 17 | 曲折缝系列<br><b>JR-20U830/JR20U53B</b><br>ZIGZAG SEWING MACHINE                                                            | 18 |
| 电脑罗拉车/普通罗拉车<br><b>JR-591/JR9910</b><br>PILLAR SEWING MACHINE                                                                  | 19 | 筒型车<br><b>JR-335/JR2628</b><br>CYLINDER BED SEWING MACHINE                                                             | 20 |
| 内里修边机<br><b>JR-323/JR323Z</b><br>EDGE TRIMMING MACHINE                                                                        | 21 |                                                                                                                        |    |

自动剪线曲折缝系列(大梭) JR-1996

AUTO-OIL AUTO TRIMMER ZIGZAG SEWING MACHINE  
(LARGE HOOK)



JR-1996

用途

1. 本机为我司自主研发设计的曲折缝产品，配备自动剪线、自动倒缝、自动抬压脚功能
2. 机身比常规机器更重，车缝速度快且稳
3. 自动供油系统，零件更耐磨，使用寿命更长
4. 大旋梭配置，开启式上盖方便维修

BRIEF INTRODUCTION

1. This is our independent research machine, have auto thread trimmer, auto reverse-feed and auto presser foot lifter.
2. The machine body heavier than normal machine, more stability when sewing higher speed.
3. Auto-oil makes the spare parts more durable.
4. Large hook, opening body cover easy for repairing.



JR-1996

JR-1996-3

JR-1996-4

| JR-1996 | DPx5 | 5mm | 5mm | 2500 | 0-10 | 8/13 | 550 | 45/40 | 64x25x54 | ✓ |
|---------|------|-----|-----|------|------|------|-----|-------|----------|---|

自动加油花样曲折缝系列(大梭) JR-1996-A4/JR5530-A4

AUTO-OIL COMPUTERIZED ZIGZAG SEWING MACHINE  
(190 DESIGNS, LARGE HOOK)




JR-1996-A4/JR5530-A4

用途

1. 本机为我司自主研发设计的曲折缝产品，配备自动剪线、自动倒缝、自动抬压脚功能
2. 机身比常规机器更重，车缝速度快且稳
3. 自动供油系统，零件更耐磨，使用寿命更长
4. 大旋梭配置，开启式上盖方便维修
5. 机器自带190种花样，并可以自己编织花样

BRIEF INTRODUCTION

1. This is our independent research machine, have auto thread trimmer, auto reverse-feed and auto presser foot lifter.
2. The machine body heavier than normal machine, more stability when sewing higher speed.
3. Auto-oil makes the spare parts more durable.
4. Large hook, opening body cover easy for repairing.
5. The machine has 190 patterns, it can design and load patterns by yourself.



| JR-1996-A4 | DPx5 | 5mm | 5mm | 2500 | 0-9 | 8/13 | 550 | 48/42 | 64x25x54 | ✓ |
|------------|------|-----|-----|------|-----|------|-----|-------|----------|---|
| JR5530-A4  | DPx5 | 5mm | 5mm | 2500 | 0-9 | 8/13 | 550 | 44/38 | 64x25x54 | × |

自动加油花样曲折缝系列(大梭) JR-1996-B4/JR5530-B4


AUTO-OIL COMPUTERIZED ZIGZAG SEWING MACHINE  
(240 DESIGNS, LARGE HOOK)



JR-5530-B4

用途

1. 本机为我司自主研发设计的曲折缝产品，配备自动剪线、自动倒缝、自动抬压脚功能
2. 机身比常规机器更重，车缝速度快且稳
3. 自动供油系统，零件更耐磨，使用寿命更长
4. 大旋梭配置，开启式上盖方便维修
5. 机器自带240种花样，并可以自己编织花样



BRIEF INTRODUCTION

1. This is our independent research machine, have auto thread trimmer, auto reverse-feed and auto presser foot lifter.
2. The machine body heavier than normal machine, more stability when sewing higher speed.
3. Auto-oil makes the spare parts more durable.
4. Large hook, opening body cover easy for repairing.
5. The machine has 240 patterns, it can design and load patterns by yourself.

| JR-1996-B4 | DPx5 | 5mm | 5mm | 2000 | 0-9 | 8/13 | 550 | 51/45 | 68x27x58 | ✓ |
|------------|------|-----|-----|------|-----|------|-----|-------|----------|---|
| JR-5530-B4 | DPx5 | 5mm | 5mm | 2000 | 0-9 | 8/13 | 550 | 47/42 | 68x27x58 | × |

自动加油曲折缝系列(大梭) JR-5530-DZ

DIRECT DRIVE AUTO-OIL ZIGZAG SEWING MACHINE  
(LARGE HOOK)



JR-5530-DZ

用途

1. 本机采用摆针机构，摆幅稳定、机身重、车缝速度快，效益可达一般人字车1.5倍以上
2. 全自动供油系统，可保零件不易磨损，增加本机使用寿命，降低维修费用
3. 下轴直接传动旋梭轴，可减少齿轮间隙，勾线规格，调试方便
4. 大旋梭配置，开启式上盖方便维修



JR-5530-DZ

JR-5533-DZ

JR-5534-DZ

BRIEF INTRODUCTION

1. Mechanism of pendulous needle with fast sewing speed, 1.5 times higher efficiency.
2. Fully automatic lubrication assures less friction on machine parts which increases the life of the machine, and lowers the fee for repairing.
3. The lower shaft transfers the movement to the axle of the rotary shuttle.
4. Large hook, opening body cover easy for repairing.

| JR-5530-DZ | DPx5 | 5mm | 5mm | 2500 | 0-10 | 8/13 | 550 | 40/35 | 64x25x54 |
|------------|------|-----|-----|------|------|------|-----|-------|----------|

自动加油曲折缝系列(大梭) JR-1530/JR1530-DZ

DIRECT DRIVE AUTO-OIL ZIGZAG SEWING MACHINE  
(LARGE HOOK)



JR-1530-DZ

用途

1. 本机采用摆针机构，摆幅稳定、机身重、车缝速度快，效益可达一般人字车1.5倍以上
2. 全自动供油系统，可保零件不易磨损，增加本机使用寿命，降低维修费用
3. 下轴直接传动旋梭轴，可减少齿轮间隙，勾线规格，调试方便
4. 大旋梭配置，开启式上盖方便维修

BRIEF INTRODUCTION

1. Mechanism of pendulous needle with fast sewing speed, 1.5 times higher efficiency.
2. Fully automatic lubrication assures less friction on machine parts which increases the life of the machine, and lowers the fee for repairing.
3. The lower shaft transfers the movement to the axle of the rotary shuttle.
4. Large hook, opening body cover easy for repairing.



JR-1530-DZ

JR-1533-DZ

JR-1534-DZ

| JR-1530    | DPx5 | 5mm | 5mm | 2500 | 0-10 | 8/13 | 550 | 33/29 | 56x25x52 |
|------------|------|-----|-----|------|------|------|-----|-------|----------|
| JR-1530-DZ | DPx5 | 5mm | 5mm | 2500 | 0-10 | 8/13 | 550 | 35/31 | 64x25x54 |

上下送料双同步曲折缝纫机(大梭) JR-2530/JR2530-DZ

TOP AND BOTTOM FEED ZIGZAG SEWING MACHINE  
(LARGE HOOK)



JR-2530-DZ

用途

1. 采用送布牙，压脚复合送料
2. 采用摆针机构，摆幅稳定、机身重、车缝速度快，效益可达一般人字车，1.5倍以上
3. 全自动供油系统，可保零件不易磨损，增加本机使用寿命，降低维修费用
4. 下轴直接传动旋梭轴，可减少齿轮间隙，勾线规格，调试方便
5. 大旋梭配置，开启式上盖方便维修

BRIEF INTRODUCTION

1. Adopt top and bottom feed mechanism.
2. Mechanism of pendulous needle with fast sewing speed, 1.5 times higher efficiency.
3. Fully automatic lubrication assures less friction on machine parts, which increases the life of the machine, and lowers the fee for repairing.
4. The lower shaft transfers the movement to the axle of the rotary shuttle.
5. Large hook, opening body cover easy for repairing.



JR-2530-DZ

JR-2533-DZ

JR-2534-DZ

| JR-2530    | DPX17 | 5mm | 6mm | 2000 | 0-10 | 8/13 | 550 | 38/33 | 56x25x52 |
|------------|-------|-----|-----|------|------|------|-----|-------|----------|
| JR-2530-DZ | DPX17 | 5mm | 6mm | 2000 | 0-10 | 8/13 | 550 | 40/35 | 64x25x54 |

▶ 筒式曲折缝纫机 JR-2312/JR2312-DZ

CYLINDRICAL BED ZIGZAG SEWING MACHINE



JR-2312-DZ

▶ 用途

1. 平行垂直式的针杆运动，机针插入物料完全垂直；机针刺穿力强，能保证任何缝迹精确、优美
2. 大旋梭配置，开启式上盖方便维修
3. 分离式的半自动润滑系统和永久润滑的密封轴承，提高零件寿命

BRIEF INTRODUCTION

1. Parallel and vertical needle bar movements, the needle can insert the sewing material entirely and vertically, strong impalement power of needle; it can ensure the exact and elegant stitches.
2. Large hook, opening body cover easy for repairing.
3. Adopt separate & semi - automatic lubricating systems, permanent lubrication & seal bearing, so that it can improve the use life of parts.



JR-2312-DZ

JR-2313-DZ

JR-2534-DZ

| JR-2312    | DPX17 | 5.0mm | 6mm | 2000 | 0-10 | 8/13 | 550 | 41/36 | 68x28x55 |
|------------|-------|-------|-----|------|------|------|-----|-------|----------|
| JR-2312-DZ | DPX17 | 5.0mm | 6mm | 2000 | 0-10 | 8/13 | 550 | 45/40 | 68x28x55 |

▶ 曲臂曲折缝 JR-8530

BENDING ARM ZIGZAG SEWING MACHINE



JR-8530

▶ 用途

适用于缝制厚料，各种管状制品，袋类、鞋类、护腕、护膝、冲浪衣等运动用品，以及多种材料的无缝合片，特别是加工难度高的材料，如表面滑溜、带粘性、有伸缩性、皮革及多屑材料等。

1. 圆管直径: 45mm，圆管长度: 230mm
2. 采用双压脚上下同步送料，可确保工件平整，缝目均匀美观
3. 倒缝扳手设于左前角，可用右肘操作，解决无第三手操作的困扰
4. 全新改良的密封式背脊，完全阻断泄油现象
5. 可选的3点或4点人字车可以增强缝制部分的缝力

BRIEF INTRODUCTION

Suitable for sewing thick material, various irregular-shaped or tubular products and various material of seamless sewing especially them at erials that is difficult to process, such as surface smooth, adhesive, flexible, leather and clastic materials etc.

1. Cylinder Dia:40mm; Cylinder Length:230mm
2. Adopt double presser foot with upper & lower feed that make the stitching neat and beautiful.
3. Designed reverse feed lever on left side, easy for operation.
4. The new improved sealed ridge can completely prevents oil spilling.
5. Optional 2-step or 3-step zigzag sewing machine can enhance the sewing firmness.

| JR-8530 | DPX17 | 4.5mm | 5mm | 2000 | 0-9 | 8/13 | 550 | 53/42 | 69x47x37 |
|---------|-------|-------|-----|------|-----|------|-----|-------|----------|

高速曲折缝系列 JR-2284/JR2284-DZ

HIGH-SPEED ZIGZAG SEWING MACHINE



JR-2284-DZ

用途

尖端科技，线迹美观，是理想的装饰品缝纫机；操作简便，经久耐用，可更换多种凸轮获取不同缝纫线迹；适用于内衣、针织、胸饰、内衣裤、手套、鞋帽等行业的薄、中厚料的缝纫。

BRIEF INTRODUCTION

High-technique, beautiful stitch, easy operation, long durability. It is an ideal sewing machine for decoration. It has different stitch designs by changing the optional cams. Suitable for sewing light and medium-heavy material of underwear, knitting, bra, trousers, gloves, shoes, caps and so on.

|  | <br>x | <br>mm | <br>mm | <br>s.p.m. | <br>mm | <br>mm | <br>W | <br>kg | <br>a <b>x</b> b <b>x</b> c CM |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| JR-2284                                                                             | DPx5                                                                                     | 5mm                                                                                       | 4mm                                                                                       | 4000                                                                                          | 0-9                                                                                       | 6/10                                                                                       | 550                                                                                        | 48/45                                                                                       | 66x35x62                                                                                                            |
| JR-2284-DZ                                                                          | DPx5                                                                                     | 5mm                                                                                       | 4mm                                                                                       | 4000                                                                                          | 0-9                                                                                       | 6/10                                                                                       | 550                                                                                        | 50/47                                                                                       | 66x35x62                                                                                                            |

高速电脑曲折缝 JR-2290

HIGH-SPEED COMPUTER ZIGZAG SEWING MACHINE



JR-2290

用途

尖端科技，线迹美观，是理想的装饰品缝纫机，操作简便，经久耐用。适用于内衣、针织、胸饰、内衣裤、手套、鞋帽等行业的薄、中厚料的缝纫。

BRIEF INTRODUCTION

High-technique, beautiful stitch, easy operation, long durability. It is an ideal sewing machine for decoration. Suitable for sewing light and medium-heavy material of underwear, knitting, bra, trousers, gloves, shoes, caps and so on.

|  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| JR-2290                                                                               | DPX5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 3500                                                                                  | 0-9                                                                                   | 6/10                                                                                  | 550                                                                                   | 45/38                                                                                 | 66x35x62                                                                              |

▶ 20U单步进花样系列 JR-20U-A1/A2/A3/A4

COMPUTERIZED ZIGZAG SEWING MACHINE  
(190 DESIGNS)




JR-20U-A2

JR-20U-A4

▶ 用途

20U单步进电脑是本公司开发的多功能电脑花样机之一，适用于羽绒服、胸罩、内衣裤、手套、服装、鞋帽、皮件、箱包等行业薄、中厚料装饰绣缝。本机是直接操作面板按键进行缝幅和缝样选择，并且有记忆功能。机器自带190种花样，其中A3、A4款机器可以自己编织花样。



BRIEF INTRODUCTION

20UA1/A2/A3/A4 is one of multi-functional computer zigzag sewing machine which created by us firstly.It is suitable for decorative seaming on thin,medium and thick fabrics of down clothes,bra, underwear, gloves, garments, shoes, caps, leather and bags etc.The machine has 190 patterns, Among them, A3 and A4 can design and load patterns by yourself.

|  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | X                                                                                   | mm                                                                                  | mm                                                                                  | s.p.m.                                                                              | mm                                                                                  | mm                                                                                  | W                                                                                     | kg                                                                                    | axbxc CM                                                                              |
| JR-20U-A1                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 26/21                                                                                 | 58x25x51                                                                              |
| JR-20U-A2                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |
| JR-20U-A3                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 26/21                                                                                 | 58x25x51                                                                              |
| JR-20U-A4                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |

▶ 20U双步进花样系列 JR-20U-B1/B2/B3/B4

COMPUTERIZED ZIGZAG SEWING MACHINE  
(240 DESIGNS)




JR-20U-B2

JR-20U-B4

▶ 用途

20U双步进电脑是本公司开发的多功能电脑花样机之一，适用于羽绒服、胸罩、内衣裤、手套、服装、鞋帽、皮件、箱包等行业薄、中厚料装饰绣缝。本机是直接操作面板按键进行缝幅和缝样选择，并且有记忆功能。机器自带240种花样，其中B3、B4款机器可以自己编织花样。



BRIEF INTRODUCTION

20UB1/B2/B3/B4 is one of multi-functional computer zigzag sewing machine which created by us firstly.It is suitable for decorative seaming on thin,medium and thick fabrics of down clothes,bra, underwear,gloves, garments, shoes,caps, leather and bags etc.The machine has 240 patterns,Among them, B3 and B4 can design and load patterns by yourself.

|  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                       | X                                                                                     | mm                                                                                    | mm                                                                                    | s.p.m.                                                                                | mm                                                                                    | mm                                                                                    | W                                                                                     | kg                                                                                    | axbxc CM                                                                              |
| JR-20U-B1                                                                             | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 1800                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 26/21                                                                                 | 58x25x51                                                                              |
| JR-20U-B2                                                                             | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 1800                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |
| JR-20U-B3                                                                             | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 1800                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 26/21                                                                                 | 58x25x51                                                                              |
| JR-20U-B4                                                                             | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 1800                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |

▶ 20U自动加油单步进花样系列 JR-20U-C1/C2/C3/C4

AUTO-OIL COMPUTERIZED ZIGZAG SEWING MACHINE  
(190 DESIGNS)




JR-20U-C2

JR-20U-C4


▶ 用途

具有自动加油系统。适用于服装、鞋帽、皮革、箱、包等行业薄、中厚料曲折缝、拼缝、装饰缝，线迹美观，操作灵活。机器自带190种花样，其中C3、C4款机器可以自己编织花样。



BRIEF INTRODUCTION

Automatic lubrication system. It's suitable for zigzag, embroidery, abutted on thin, medium, thick fabrics garments, shoes and caps, leather articles, bags etc. Beautiful stitch and easy operation. The machine has 190 patterns, Among them, C3 and C4 can design and load patterns by yourself.

|  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | X                                                                                   | mm                                                                                  | mm                                                                                  | s.p.m.                                                                              | mm                                                                                  | mm                                                                                  | W                                                                                     | kg                                                                                    | axbxc CM                                                                              |
| JR-20U-C1                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 28/24                                                                                 | 58x25x51                                                                              |
| JR-20U-C2                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 32/27                                                                                 | 58x25x51                                                                              |
| JR-20U-C3                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 28/24                                                                                 | 58x25x51                                                                              |
| JR-20U-C4                                                                           | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 32/27                                                                                 | 58x25x51                                                                              |

▶ 20U自动加油系列 JR-20U93/JR20U93-DZ


DIRECT DRIVE AUTO-OIL ZIGZAG SEWING MACHINE



JR-20U93-DZ

▶ 用途

具有自动加油系统。适用于服装、鞋帽、皮革、箱、包等行业薄、中厚料曲折缝、拼缝、装饰缝，线迹美观，操作灵活。



BRIEF INTRODUCTION

Automatic lubrication system. It's suitable for zigzag, embroidery, abutted on thin, medium, thick fabrics garments, shoes and caps, leather articles, bags etc. Beautiful stitch and easy operation.

|  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                       | X                                                                                     | mm                                                                                    | mm                                                                                    | s.p.m.                                                                                | mm                                                                                    | mm                                                                                    | W                                                                                     | kg                                                                                    | axbxc CM                                                                              |
| JR-20U93                                                                              | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 2000                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 25/21                                                                                 | 58x25x51                                                                              |
| JR-20U93-DZ                                                                           | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 2000                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |

▶ 曲折缝系列（一步两点）JR-20U33/33-DZ/JR20U43/43-DZ


DIRECT DRIVE ZIGZAG SEWING MACHINE



JR-20U43-DZ

▶ 用途

可在薄、中厚料上做直缝、绣花、拼缝、套结缝、包边缝、拉链缝、包梗缝等。针位可在左、右、中调节，能形成绚丽多彩的装饰图案，反向送料机构。



BRIEF INTRODUCTION

The machine is suitable for straight seaming, zigzag, embroidery, abutted, bar tacking, overedge seaming, zipper inserting seaming, wrapped around seaming. The needle position can be adjusted between the right and the left to make beautiful decorative designs. Backward feeding mechanism.

|  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | x                                                                                   | mm                                                                                  | mm                                                                                  | s.p.m.                                                                              | mm                                                                                  | mm                                                                                  | W                                                                                     | kg                                                                                    | axbxc CM                                                                              |
| JR-20U33                                                                            | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 24/21                                                                                 | 55x25x37                                                                              |
| JR-20U33-DZ                                                                         | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |
| JR-20U43                                                                            | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-12                                                                                | 6/12                                                                                | 550                                                                                   | 24/21                                                                                 | 55x25x37                                                                              |
| JR-20U43-DZ                                                                         | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-12                                                                                | 6/12                                                                                | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |

▶ 曲折缝系列（一步两点）JR-20U53/53-DZ/JR20U63/63-DZ


DIRECT DRIVE ZIGZAG SEWING MACHINE



JR-20U53-DZ

▶ 用途

适用于服装、鞋帽、皮件、箱包等行业的薄、中厚料曲折缝、拼缝、装饰缝。线迹美观，操作灵活，倒顺针针距可调节。



BRIEF INTRODUCTION

It is suitable for zigzag, embroidery, abutted on thin, medium thick fabrics garments, shoes and caps, leather articles, bags etc. Beautiful stitch and easy operation. The forward and backward needle gauge is adjustable

|  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                       | x                                                                                     | mm                                                                                    | mm                                                                                    | s.p.m.                                                                                | mm                                                                                    | mm                                                                                    | W                                                                                     | kg                                                                                    | axbxc CM                                                                              |
| JR-20U53                                                                              | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 2000                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 24/21                                                                                 | 55x25x37                                                                              |
| JR-20U53-DZ                                                                           | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 2000                                                                                  | 0-9                                                                                   | 6/12                                                                                  | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |
| JR-20U63                                                                              | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 2000                                                                                  | 0-12                                                                                  | 6/12                                                                                  | 550                                                                                   | 24/21                                                                                 | 55x25x37                                                                              |
| JR-20U63-DZ                                                                           | DPx5                                                                                  | 5mm                                                                                   | 4mm                                                                                   | 2000                                                                                  | 0-12                                                                                  | 6/12                                                                                  | 550                                                                                   | 28/23                                                                                 | 58x25x51                                                                              |

▶ 曲折缝系列(三步四点/二步三点/双针三步四点) JR-20U457A/B/D

(Four points/Three points/Four point double needle)

ZIGZAG SEWING MACHINE



JR-20U457A

JR-20U457D

▶ 用途

适用于胸罩、内衣裤、手套、服装、鞋帽、皮件、箱包行业的薄、中厚料装饰缝纫。线迹美观大方，是各行业重要的花色机种，倒顺针机构、运转平稳、操作方便。

BRIEF INTRODUCTION

The machine is suitable for sewing thin, medium and thick fabrics of garments such as bra, underwear, gloves, shoes and caps, leather articles, bag etc. The machine can make beautiful and high-quality stitches, and it is an important product in relative industry. The machine adopts forward and backward feeding mechanism, and it has advantages of reliability and convenient.



JR-20U457A

JR-20U457B

JR-20U457D

|  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     | x                                                                                   | mm                                                                                  | mm                                                                                  | s.p.m.                                                                              | mm                                                                                  | mm                                                                                  | W                                                                                     | kg                                                                                    | axbxc CM                                                                              |
| JR-20U457A                                                                          | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 24/21                                                                                 | 55x25x37                                                                              |
| JR-20U457B                                                                          | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 24/21                                                                                 | 55x25x37                                                                              |
| JR-20U457D                                                                          | DPx5                                                                                | 5mm                                                                                 | 4mm                                                                                 | 2000                                                                                | 0-9                                                                                 | 6/12                                                                                | 550                                                                                   | 24/21                                                                                 | 55x25x37                                                                              |

▶ 曲折缝系列 JR-20U830/JR20U53B

ZIGZAG SEWING MACHINE



JR-20U830

JR-20U53B

▶ 用途

20U830是本公司开发的20U特色花样机之一，适用于茄克休闲、衬衫、服装、鞋帽、皮件、箱包等行业的薄、中厚料，装饰缝、串珠式花样机，线迹像珍珠美观，操作灵活，是当今非常流行的时尚花样。

BRIEF INTRODUCTION

20U830 is one of specialized zigzag sewing machine in our company, It is suitable for decorative seaming on thin, medium and thick fabrics of jackets, blouses, garments, shoes, caps, leather and bags etc. The seams are as beautiful as pearls, and it operates nimbly. It is very popular pattern of fashion garments all over the world.



JR-20U830

JR-20U53B

|  | <br>x | <br>mm | <br>mm | <br>s.p.m. | <br>mm | <br>mm | <br>W | <br>kg | <br>axbxc CM |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| JR-20U830                                                                             | DPx5                                                                                       | 5mm                                                                                         | 4mm                                                                                         | 1800                                                                                            | 0-5                                                                                         | 6/12                                                                                        | 550                                                                                        | 24/21                                                                                       | 55x25x37                                                                                          |
| JR-20U53B                                                                             | DPx5                                                                                       | 5mm                                                                                         | 4mm                                                                                         | 1800                                                                                            | 0-5                                                                                         | 6/12                                                                                        | 550                                                                                        | 24/21                                                                                       | 55x25x37                                                                                          |

20U53B is suitable for the decoration of the holes in shoe & cap.

▶ 电脑罗拉车/普通罗拉车 JR-591/JR9910

PILLAR SEWING MACHINE



JR-591

JR-9910

▶ 用途

- 1. 采用伺服直驱电机，节能环保
- 2. 采用过载离合器，用于保护旋梭，可预设速度
- 3. 有自动停针位，自动剪线，自动倒缝，自动抬压脚等功能

BRIEF INTRODUCTION

- 1. Use servo direct drive motor,energy saving and environmental protection
- 2. Use overload clutch,protect the hook,you also can preset the speed.
- 3. You can set the needle position,the machine have auto-trimmer,auto reverse feed,auto presser foot lifter.

| 最高缝速             | 最大缝目              | 机针     |
|------------------|-------------------|--------|
| Max Sewing Speed | Max Stitch Length | Needle |
| 2500 S.P.M.      | 7MM               | DPX5   |

▶ 筒型车 JR-335/JR2628

CYLINDER BED SEWING MACHINE



JR-335

JR-2628

▶ 用途

JR-335A 采用综合送料装置，多层缝料缝制时，内层不会移动。新型针柱座在缝制时比较稳定，可减少断针、断线等现象。本机适用于鞋业，箱包滚边、高级运动器材圆筒成型等。

JR-2628A 采用滑杆式挑线，连杆式送料机，上下轴高精度螺旋伞齿轮转动，自动加油系统。本机可有效减少零件磨损，增加使用寿命，线迹美观平整。本机缝制应用于箱包、坐垫、皮革等

BRIEF INTRODUCTION

JR-335A using the integrated feeding device,the inner layer will not move,even sew multi materials together. The new needle clamp is very steady,it can help to reduce breaking needle and yarns.

JR-2628A The machine is cylinder unison feed sewing machine.Using the slider-style jumper and link-type feeding mechanism.The upper and lower shaft of high precision spiral bevel with gear transmission and auto-oil system.

| 最高缝速             | 最大缝目              | 机针     | 圆筒直径                |
|------------------|-------------------|--------|---------------------|
| Max Sewing Speed | Max Stitch Length | Needle | Diameter of Postbed |
| 2000 S.P.M.      | 5.5MM             | DPX17  | 46MM                |
| 2000 S.P.M.      | 6MM               | DPX17  | 50MM                |

▶ 内里修边机 JR-323/323Z

EDGE TRIMMING MACHINE



JR-323



JR-323Z

▶ 用途

JR-323/323Z 应用于鞋面内里，鞋底毛边等修剪，操作方便。  
适用马靴、运动鞋、凉鞋等

BRIEF INTRODUCTION

Suitable for trimming edge of vamp lining products.  
Easy to operat. Suitable for boots, sport shoes,  
leisure shoes and so on.

马达：1/2HP 离合器马达

Motor: 1/2HP Clutch Motor

服装 / 制鞋 / 箱包 / 汽车内饰 / 家具沙发

GARMENTS

SHOES

BAGS

SOFA

佳岛在手中，缝纫好轻松！  
*A stitch above the best!*